



**Model  
60HCA3**

**SIDE  
GLUE**

**Jindal Offset** India Pvt. Ltd.

**PERFECT  
BINDING  
MACHINE**

Max. Binding Length : 460 mm

**CONTACT US**



9818239824, 9211567476,  
8588058191, 9971812791  
9810115856



[jindaloffset@yahoo.com](mailto:jindaloffset@yahoo.com)



[www.jindaloffset.com](http://www.jindaloffset.com)






# TECHNICAL SPECIFICATIONS

Max. Binding Length	460 mm
max. Binding Thickness	60 mm
Glue Melt Time	about 20 mins
Binding speed	300 book/hour
Milling Cutter	18 teeth Sun Milling Cutter+Small Milling Cutters
Glue Roller	Spine Glue+Independent Side Glue
Glue Type	Manual&Automatic+fast mode
Display Mode	7 inch touch screen
Spine forming adjustment method	Electric touch screen adjustemnt
Paper Milling	Two Fold
Power Supply	220V
Power	1400w
Paper Milling	Two-fold
Machine size	1610*480*960mm
Gross weight	235kg

Click for Video :

[Here](#) 



# FEATURES



- 1. Extra strong structure design, aluminium clamp plate made cart**
  - High strength aluminium clamp plate structure and synchronous propulsion technique of bi-direction four rail clamping board are adopted, which are applicable to book binding of different types with various specifications, making books durable without deformation at distortion at clamping.
  
- 2. Double rail and brake motor design**
  - It uses the first class international high speed solid double rail technology to make the cart travel at high speed and stop accurately with brake motor
  
- 3. Double motor structure for clamping surface platform**
  - Patent design and double motor control achieves firm book binding and strong stability
  
- 4. Digital adjustment of square and round corner effect of spine**
  - Digital control is suitable for binding of paper and cover of different types
  
- 5. Large screen display, function selection, easy to understand**
  - Mobile phone like operation interface, extra large screen display, easy to understand and simple to operate
  
- 6. High-power double milling cutters with perfect with raking and fluting**
  - Double-layer alloy milling cutter and 18-tooth disk milling cutter make clean raking and even fluting

## **7. Traditional back gluing and separate side gluing**

- **Traditional glue-tank back gluing is used to get even and full gluing; with separate sidegluing, the binding is firmer and the molding is better**

## **8. Humanization design of book rest plate**

- **Humanization design of book rest plate is convenient for cover access and saves working space**

## **9. One-button setting**

- **Temperature, time, pressure and other parameters can be set up with one button, which is easy to understand and convenient to operate**

## **10. Self-diagnosis of motor and sensor faults**

- **Self-diagnosis and error report of photoelectric sensor and control circuit faults**

## **11. Automatic circuit control**

**Intelligent circuit control, automatic check, photoelectric sensing and failure display**

## **12. Double-rail cart travelling, accurate brake motor positioning**

**Brake motor is used for high speed travelling of cart to ensure that the cart can stop exactly at the right.**